















# FR-300

## Conjunto de 2 walkie-talkies 16 canales 10km










**14** Seleccionar canal

1x 




**15** CTCSS  
Seleccionar canal (ver términos)

2x 




CTCSS




 OK

**16** DCS  
Seleccionar canal (ver términos)

3x 




DCS




 OK

**17** VOX  
Sensibilidad (ver términos)

4x 




VOX




 OK

**18** Escanear canal

5x



SCAN



START SCAN




STOP SCAN


+/- : SIGUIENTE CÓDIGO

**19** CTCSS Escanear (ver términos)

6x



SCAN  
CTCSS



START SCAN




STOP SCAN


+/- : SIGUIENTE CÓDIGO

**20** DCS Escanear (ver términos)

7x



SCAN  
DCS



START SCAN





STOP SCAN

+/- : SIGUIENTE CÓDIGO

**21** Establecer el tono

8x





E01/E15



OK

22

Establecer la  
señal de  
llamada




1 = =

2 = = + buzz  
buzz  
buzz



3 = = buzz  
buzz  
buzz

23

Tono




r0




24

Tono teclas





t0




- 25 Recibir 2 canales  
(ver términos)

12x







\*Select "OF" to stop 2 channel scan

- 26 Eco






- 27 Alimentación por cargador

Units  
off!



- 28 Alimentación por cable



## DECLARATION OF CONFORMITY

This device complies with the essential requirements and provisions as described in the European Directive 2014/53/EU.

This declaration of conformity is available at: <http://DOC.hesdo.com/FR-300.pdf>

Use only supplied adapter



Input: 100-240V~  
50/60Hz 100mA  
Output: 5V  $\overline{\text{---}}$  550mA  
Model: TGE050P055



Frequency Range : 446.00625 - 446.19375 MHz  
Maximum Power : < 6,5 dBm

Hesdo bv.  
Aziëlaan 12, 5232 BA  
's-Hertogenbosch  
The Netherlands

[www.alecto.com](http://www.alecto.com)



v1.0